

## SAFETY DATA SHEET

CLP – Regulation (EC) No.1272/2008

Page: 1 Revised Edition No. 5 Date: 04/07/19 Supersedes: Edition 4

# EXTRASOL

Product Code: BL-76101

## 1. IDENTIFICATION OF THE SUBSTANCE/ USE/ COMPANY DETAILS

Trade Name: Company Identification: Extrasol Brit-Lube Limited Units 2&3 Mayfield Industrial Estate Liverpool Road Irlam Manchester, M44 6GD Tel: +44(0)161 777 9970 Fax: +44(0)161 777 9980 info@brit-lube.com

2. HAZARDS IDENTIFICATIO	)N
Classification under CLP:	H315: Skin Irrit - EUH066:
	H304: Asp. Tox
Most important adverse effects:	Repeated exposure may coause skin dryness & cracking. May be fatal if swallowed and
	enters airways. Causes skin irritation.
Label elements:	
Signal word:	Warning
Hazard Statements:	H411; Toxic to aquatic life with long lasting effects
	H315; Causes skin irritation
	H394: May be fatal if swallowed & enters airways.
	EUH066: Repeated exposure may cause dryness or cracking
Pictograms:	GHS07: Exclamation mark
	GHS08: Health hazard
	GHS09: Environmental
Precautionary statements:	P261: Avoid breathing vapours
	P280: Wear protective clothing
	P301+310: IF SWALLOWED: Immediately call Poison Centre/doctor/physician
	P302+352: IF ON SKIN: Wash with plenty of water
	P332+313: If skin irritation occurs: Seek medical attention.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

	Conc.	CAS	EINECS	Symbols/Risk phrases
Orange Terpenes	40-50%	8028-48-6	232-433-8	Xn; R65 R10
Distillates (Petroleum) Hydrotreated light	40-50%	64742-47-8	265-149-8	Xn; R65 Xi; R66 R10

Move the exposed person to fresh air. Seek medical attention if irritation or symptoms
persist
Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Seek medical attention if irritation or symptoms persist.
Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek
medical attention if irritation or symptoms persist.
DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Seek medical attention.
In case of accident or if you feel unwell, seek medical advice immediately (show the
label where possible)

5. FIRE FIGHTING MEASUR	ES
Extinguishing Media	Carbon Oxides. Dry chemical. Foam
Fire Hazards	No specific hazards
Protective Equipment	No specific requirements

6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions Eliminate all sources of ignition. Avoid contact with skin and eyes.		
Environmental Precautions	Do not allow product to enter drains. Prevent further spillage if safe.	
Clean up methods	Absorb with inert, absorbent material. Transfer to suitable, labeled containers for disposal.	

7. HANDLING AND STORAGE	
STORAGE	Store in cool, dry well ventilated areas. Keep containers tightly closed.
HANDLING	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep
	away from sources of ignition – NO SMOKING

8. EXPOSURE CONTROLS / PERSONAL PROTECTION	
Engineering MeasuresEnsure adequate ventilation of the working area	
<b>Respiratory Protection</b>	Wear suitable respiratory equipment when necessary
Hand Protection	Chemical resistant gloves (PVC)
Eye Protection	Approved safety goggles

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid
Colour	Clear. Colourless
Odour	Citrus
Solubility in water	Immiscible in water
Flash Point	40°C

### **10. STABILITY AND REACTIVITY**

Stability Materials to avoid Conditions to avoid Stable under normal conditions Oxidizing agents Heat, sparks and open flames

11. TOXICOLOGICAL INFORMATION	
Toxicological information	No data is available on this product
Sensitisation	May cause sensitization by skin contact

#### **12. ECOLOGICAL INFORMATION**

Degradability

Not readily biodegradable

#### 13. DISPOSAL CONSIDERATIONS

**General Information** 

Dispose of in a safe manner in accordance with local/national regulations

14. TRANSPORT II	NFORMATION	
ADR/RID		
UN	1268	Packing group III
Class	3	Hazard ID 30
Proper Shipping	PETROLEUM PRODUCTS	
Name	N.O.S	
IMDG		
UN	1268	Packing group III
Class	3	Marine Pollutant
EmS Code	F-E-S-E	
ΙΑΤΑ		
UN	1268	Packing group III
Class	3	Subsidiary risk –
Packing Instruction	310	Maximum Quantity 220L
(Cargo)		
Packing Instruction	309	Maximum Quantity 60L
(Passenger)		

15. REGULATORY INFORMATION		
Labelling	The product is classified in accordance with 67/548/EEC	
Symbol(s)	Warning	
R Phrase(s)	R10 – Flammable	
	R65 – Harmful: may cause lung damage if swallowed	
	R66 – Repeated exposure may cause skin dryness or cracking	
S Phrase(s)	S52 – If swallowed, do not induce vomiting: seek medical advice immediately and show	
	this container or label	

16. OTHER INFORMATION	
S Phrase(s)	EUH066: Repeated exposure may cause dryness & cracking
	H226: Flammable liquid & vapour
	H304: May be fatal if swallowed & enters airways
	H315: Causes skin irritation
	H317: May cause an allergic skin irritation
	H411: Toxic to aquatic life with long lasting effects

**Product Use:** 

For Industrial use only. Washing/ cleaning

The contents and format are in accordance with the following directives:

Commission Regulation (EU) No: 453/2010

EC Directive 91/155/EEC defining the laying down and detailing of specific information relating to Dangerous Preparations Directive – 2001/58/EC. EC Directive 88/379/EEC relating to the classification, packaging and labeling of dangerous preparations.

#### DISCLAIMER OF LIABILITY:

To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user. The conditions of handling, storage, use or disposal of the product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim any liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product. This MSDS was prepared solely for the product stated and should not be used for any other product.

END OF DOCUMENT